ANNUAL REPORT

OF THE

SANITARY CONDITION

OF THE

FYLDE RURAL DISTRICT

FOR THE YEAR 1906.

CHARLES COURT, M.B.,

Medical Officer of Health.

KIRKHAM:

PRINTED BY J. RIGBY, POULTON STREET AND BIRLEY STREET. 1907.

ANNUAL REPORT

ON THE

SANITARY CONDITION

OF THE

FYLDE RURAL DISTRICT, FOR THE YEAR 1906.

To the Chairman and Members of the Fylde Rural

District Council.

GENTLEMEN,

I HAVE the honour to present for your consideration my Fifth Annual Report of the Health and General Sanitary Condition of this district.

The area of the district dealt with in this Report is, according to the Census return, 38,768 acres, and the population is estimated at 11,045 persons, an increase of 281 on last year's figures; the additions being due to the excess of births over deaths, as well as to a slight increase in population in certain townships; the above estimate being that on which the various rates are calculated.

SECTION I.

VITAL STATISTICS.

BIRTHS.—The births registered in the district during the year under report amounted to 246, or 16 less than in the preceding year. The birth-rate again declined and was equal to 22.2 per 1,000 of the population against a rate of 24.3 last year, 25.6 in 1904, and 26.7 in 1903. The following tabular statement gives the number of births in each of the four registration sub-districts and also the sex distribution:—

Su	b-Dist	tricts			Males]	Females	3	Total
Fleetwood				•••	16	• • •	13	•••	29
Blackpool					22		32		54
Kirkham					86		72		158
Lytham					4		1	•••	5
Ť						-			
W	hole	Dist	rict		128		118		246

In Table I. it will be observed that the present is the lowest birth-rate during the past 10 years.

MORTALITY.

DEATHS.—The number of deaths registered in the district during the year was 141, but to find the true death-rate 11 deaths occurring in the Moss Side Fever Hospital of persons removed from other districts must be deducted, and three deaths must be added which occurred among persons belonging to the Fylde Rural District in public institutions situate outside this area, viz., one in the Fylde Union Workhouse and two in the Victoria Hospital, Blackpool. The nett deaths at all ages actually belonging to the district were therefore 133, or two more than in 1905. The corrected death-rate was equal to 12·0 per 1,000 of the population, against a death-rate of 12·1 of last year, 11·9 in 1904, 14·7 in 1903, and 13·9 in 1902. This year therefore compares favourably with past years. The distribution of deaths is as under:—

Su	b-Dis	tricts		Males	1	emales	3	Total
Fleetwood				 6		3		9
Blackpool				 17		11		28
Kirkham				 45		49		94
Lytham				 0		2		2
W	hole	Dist	rict	 68	•	65	-	133

The excess of births over deaths was equal to 113.

SECTION II.

ZYMOTIC DISEASES.

During the year there have been 33 cases notified, an increase of 3 on the preceding year. These cases comprise 11 of Scarlet Fever, 10 of Enteric Fever, 9 of Diphtheria, 2 of Erysipelas and 1 of Puerperal Fever.

The following summary gives the number of notifications of Zymotic diseases occurring during the last five years:—

		1906	1905	1904	1903	1902
Scarlet Fever	• • •	 11	13	13	25	76
Enteric Fever	• • • •	 10	5	2	6	19
Small-pox		 0	0	1	3	0
Diphtheria	• • •	 9	5	2	28	4
Membranous	Croup	 0	0	1	5	0
Erysipelas	•••	 2	7	1	3	3
Puerperal Fev	er	 1	0	0	2	1
				-		
		33	30	20	72	103

SCARLET FEVER.

Cases, 11. Deaths, 0.

Four of these cases occurred in Warton, in the months of March, April and June; three cases in Wesham in August, and one case each in Freckleton, Carleton and Marton, in August, September and October. The Warton cases contracted the disease whilst

attending school at Lytham. Of the Wesham cases, the first had been working in the mill beside another boy from Kirkham who had been declared to be suffering from Diphtheria, but was suffering from Scarlet Fever complicated with Diphtheria. The other two cases in Wesham occurred in one family; one of the children had been residing for a time in Preston, and contracted the disease there. These cases were all removed to the Hospital, and steps were taken successfully to prevent the spread of the infection further. The Wharles and Freckleton cases, singularly to relate, both occurred just after the field days of their respective villages, where they had doubtless come in contact with infected persons from other districts. As regards the Carleton and Marton cases the source of infection was doubtful.

TYPHOID FEVER.

Cases, 10. Deaths, 2.

These cases occurred in the following townships:—Two each in Wesham and Marton, and one each in Wrea Green, Warton, Freckleton, Wharles, Singleton and Thistleton. The cases treated in Hospital were three in number, one each from Wrea Green, Freckleton and Warton. The remainder of cases were treated at their own homes. The two deaths which occurred were at Wesham and Thistleton. As regards the sources of infection in the two Wesham cases no local cause could be found. As to the Wrea Green case everything seems to point to the condition of the closets at her place of work. The Warton case was a very slight one; the drains were tested and the surroundings investigated, but no defect could be found. The home of the Freckleton case was not kept as clean as it might have been. The Marton cases were due to stagnant sewage. In the Wharles case the farm was in an untidy condition. On the Inspector's visit he found the remains of the carcase of a cow which had evidently lain in the garden for some time without burial. As to the Thistleton and Singleton cases, the disease was contracted while the patients had been in camp at Fleetwood.

DIPHTHERIA.

Cases, 9. Deaths, 1.

Five cases occurred in Hardhorn-with-Staining in March, May and October. One case at Moss Side Hospital, a nurse, who contracted the disease while attending to her duties; one in Little Marton, in June, and two in Mythop, in July and September. In the Marton case, and in both of the Mythop cases the origin of the disease was defective drainage; in the others, with the exception of the case of the nurse, the origin was doubtful.

ERYSIPELAS.

Cases, 2. Deaths, 0.

These two cases occurred—one in April, in Wesham; the other in September, in Marton.

INFECTIOUS HOSPITALS,

Two in number, one at Moss Side, the Fylde Joint Isolation Hospital; the other the Small-pox Hospital at Elswick, a Joint Hospital for Preston, Garstang and The Fylde.

There have been admitted into the Isolation Hospital at Moss Side, during the year, 147 cases of Infectious Diseases, viz.:—116 of Scarlet Fever, 14 of Typhoid Fever, and 17 of Diphtheria, a decided increase on the preceding year's number of admissions, when there where 80 cases; 65 of Scarlet Fever, 14 of Typhoid, and 1 of Diphtheria. The districts they have been received from were as follows:—

District		Scarlet Fever	Enteric Fever	Diphtheria
Lytham		 46	 5	 2
St. Annes		 11	 1	 0
Bispham		 1	 0	 0
Kirkham		 24	 3	 1
Fylde Rural		 11	 2	 3
Fleetwood		 4	 3	 1
Thornton		 19	 0	 10
Totals	•••	 116	14	17—147

Of the 147 cases treated in Hospital there have been 11 deaths during the year, viz., 5 of Scarlet Fever, 3 of Enteric Fever, and 3 of Diphtheria.

Of the 3 deaths from Diphtheria, 2 died a few hours after admission to the Hospital, and the third died on the second day. It is to be regretted that these cases had not been sent in earlier in the disease, as the removal to Hospital from a long distance is a great strain in the later stages of the disease.

DIARRHŒA, ENTERITIS & ALLIED DISEASES.

Seven deaths have resulted from these causes, varying in ages between ten days and six months; two each occurring in Freckleton and Marton, and one each in Hardhorn, Newton-with-Staining, and Newton-with-Scales.

ZYMOTIC DISEASES.

The 7 principal Zymotic diseases contributed 12 deaths, equal to a rate of 1.08 per 1,000 of the population, and a decrease of 0.22 on the rate for last year. Diarrhœa was accredited with 8 deaths, Whooping Cough 2 deaths, and Diphtheria and Enteric Fever 1 death each.

PHTHISIS did not give rise to a single death during the year under review. In 1905, 3 deaths took place, equal to a rate of 0.27 per 1,000.

RESPIRATORY DISEASES, including Bronchitis, Pneumonia and Pleurisy, were the cause of 21 deaths, or 4 more than in 1905. The rate per 1,000 was 1.90, as compared with 1.58 last year and 1.60 in 1904.

INFANTILE MORTALITY—29 deaths occurred amongst children under 1 year of age, and the mortality, measured by the proportion of deaths to 1,000 births, was 117, a figure not quite so favourable as last year, when the average was 99.

The following summary gives the Birth and Death rate for the last 5 years per 1,000 of the population:—

	1906	1905	1904	1903	1902
Birth-rate	22.2	24.3	25.6	26.7	28.3
Death-rate (corrected)	12.0	12.1	11.9	14.7	13.9
Zymotic Death-rate	1.08	1.30	0.75	1.48	1.58
Phthisis "	_	0.27	0.56	0.83	1.05
Respiratory ,,	1.90	1.58	1.60	1.86	1.23
Rate of deaths under 1		•	0.0		
year to 1,000 births	117	99	98	125	74

The corrected number of deaths in each of the townships in the Rural District, together with the death-rate per 1,000 per annum:—

		Number of Deaths	Rate per 1,000 per annum
Carleton	•••	2	 2.5
Singleton		3	 7.8
Elswick		3	 11.3
Little Eccleston-with-Larbreck		1	 5.1
Marton	•••	25	 17.1
Hardhorn, Newton and Staining		3	 4.5
Freckleton		20	 14.8
Medlar-with-Wesham		32	 16.8
Bryning-with-Kellamergh		1	 7.6
Clifton-with-Salwick		4	 9.4
Greenhalgh-with-Thistleton		3	 7.1
Newton-with-Scales	• • •	8	 33.7
Ribby-with-Wrea		7	 12.6
Treales, Roseacre and Wharles		7	 13.8
Warton		7	 15.0
Weeton-with-Preese		2	 5.2
Westby-with-Plumptons		3	 5.2
Little Marton	•••	2	 5.4
Whole District	• • • •	133	12.0

SECTION III.

GENERAL WORK.

In February, March and July the Schools were closed for varying periods from two to four weeks, in Wesham, Treales, Carleton and Marton, owing to the prevalence of Whooping Cough and Mumps.

A new sewer has been completed at Carleton, also part of a sewage scheme for Wrea Green.

Two streets at Wesham have been re-sewered; the old openjointed pipes being replaced by proper socketed ones.

New water-closets have been fixed at the Freckleton Mill, also at two of the spinning mills at Wesham.

A cottage in Bradshaw Lane, Greenhalgh, was condemned at the close of the year owing to its dilapidated condition.

SLAUGHTER-HOUSES have been inspected frequently, and it has been found necessary to complain about two at Marton, where the disposal of garbage and the condition of the tanks, &c., was very unsatisfactory. In one this has been remedied, and the other is under the attention of your officers.

BAKE-Houses.—No complaints.

FACTORY AND WORKSHOP ACTS.

Factories—Number of Inspections		•••	•••	12
Workshops ,, ,,			•••	20
Defects found—Mill Closets	• • •		•••	4
Workshops lime-washed	•••	•••	•••	11
Other matters				0

In conclusion, Gentlemen,

I remain,

Yours obediently,

CHARLES COURT.

(I) VITAL STATISTICS OF WHOLE DISTRICT during 1906 and previous years

		_	
HS AT ALL	Rate*	13	160 160 1141 1141 1156 1156 1189 1191 1191 1191 1191
NETT DEATHS AT AGES BELONGING THE DISTRICT	Number	12	216 248 2248 2250 220 207 107 1158 1180 1181
ents blic fult br	Desths of Resid registered in Pu nstitutions beyor District	I #	::::::::::::::::::::::::::::::::::::::
dents blic the	eatha of Non-Res registered in Pu ni anoitutitanI District	υ 10	: 'ro : : :
the the	T ni adtast IstoT ni anoitutitanI toirtaid	6	:::::::::::::::::::::::::::::::::::::::
ED IN THE DISTRICT COUNTY OF THE COUNTY OF T	Rate*	00	26.0 26.0 27.0 27.0 27.0 27.0 27.0 27.0 27.0 27
RED IN THE DIST	Num	7	222 248 248 234 250 207 107 107 1120 1120 1141
TOTAL DEATHS REGISTERED IN THE DISTRICT Under One Year of age At all Acres	Rate per 1,000 Births registered	9	100 100 100 112 113 113 113 113 114 115 115 116 117 117
TOTAL DEATHS REGIS Under One Year of age	Number	z,	4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
	Rate*	4	20.05 20.05
BIRTHS	Number	က	410 898 898 450 450 450 833 283 284 287 287 287 287 287 287 287 287 287 287
nated nated	Population esting of each	72	13,426 14,609 16,102 11,080 11,320 11,320 11,350 10,479 10,479 10,479 10,479 10,479 11,045
	YEAR	1	1896 1897 1898 1899 1900 1901 1903 1905 1905 1906 1906 1906

† Area of District reduced in April, 1903. * Rates in Columns 4, 8 and 13 calculated per 1,000 of estimated population.

Total population at all ages. 11,251 Number of inhabited houses 2,317 A verace number of persons per house. 4.9 Area of District in acres (exclusive of area covered by water)..... 38768

Average number of persons per house .. 4-9 Institution within the District—Fyide Joint Hospital Committee's Hospital at Moss Side;

Institutions outside the District receiving sick and infirm persons from the District—Union Workhouse, Kirkham; Victoria Hospital, Blackpool.

(II.) VITAL STATISTICS OF SEPARATE LOCALITIES in 1906 and previous years.

_							
	Deaths under 1 year	g	П	Н	1	H	1
AM trict)	Deaths at all ages	0	ಣ	20	4	4	22
LYTHAM (Sub-District)	Births Registered	q	7	9	12	00	5
ıs)	Population esti- mated to middle of each year	ಡ	356	356	364	358	367
	Deaths under I year	р	21	14	15	16	23
ram trict)	He at silts at all sages	o	107	73	88	98	94
Ктвкнам (Sub-District)	Births Bereted	q	166	163	141	156	158
9	Population esti- mated to middle of each year	8	6,647	6,758	6,816	6,740	6,928
	Deaths under I year	q	6	11	9	_ ∞	4
POOL triet)	Deaths at all ages	၁	36	25	20	27	28
BLACKPOOL (Sub-District)	Birtha Registered	q	85	09	71	71	54
E (Si	Population esti- mated to middle of each year	ಡ	1,926	1,946	1,997	1,956	2,111
	Desths under I year	q	20	-	4	ಣ	Н
oob triet)	Deaths at all seges	၁	18	24	24	55	6
Fleetwood (Sub-District)	Births Begistered	q	32	38	988	36	29
(%)	Population esti- mated to middle of each year	59	1,500	1,565	1,579	1,548	1,639
	Deaths under I year	q	36	27	26	29	29
STRICT	Deaths at all ages	0	159	127	131	139	133
Whole District	Births Beretstered	q	287	273	262	274	246
A	Population esti- mated to middle of each year	55	10,479	10,625	10,756	10,620	11,045
NAMES OF LOCALITIES	YEAR		1903	1904	1905	Averages of Years 1896 to 1905	1906

(III) CASES OF INFECTIOUS DISEASE notified during the year 1906.

-				
ÆD TO	υ	Lythan	:::::::::	:
GASES REMOV HOSPITAL FROM EACH LOCALITY	u	кіткра	:::::::::::::::::::::::::::::::::::::::	133
CASES REMO- HOSPITAL FROM	loc	ВІвскр	:::::=:::::	H
No. of Cases Removed to Hospital from Each Locality	poo	Fleetwo	:::::::::::::::::::::::::::::::::::::::	П
	τ	Гутрап	::-::::::::::::::::::::::::::::::::::::	н
NOTIFIE	τυ	Кіткла	:::::::::::::::::::::::::::::::::::::::	20
TOTAL CASES NOTIFIED IN EACH LOCALITY	loc	Blackpo	: :12 :14 :25 : :4 :	10
TOTAL C	poo	Fleetwo	:::::::::::::::::::::::::::::::::::::::	2 Hospital.
		65 & up- wards	::::-:::::	4 9 1 2 Solation Hospital — Moss Side Hospital
CASES NOTIFIED IN WHOLE DISTRICT		25 to 65	::::==:9::=:	9 lital.—M
TED IN WHOLE DI	At Ages—Years	15 to 25		
W KI	t Ages-	5 to 15	: : 3 : : : : : : : : : : : : : : : : :	4 Isolat
OTIFIE	A	1 to 5	: :a : :e :u : : : :	16
CASES NOTE		Under 1	::-::-:-:::	က
	At. 3.11	Ages	::0:21:0::1:	33
	Notifiable Disease		Small-pox Cholera Cholera Diphtheria Membranous Croup Erysipelas Scarlet Fever Typhus Fever Typhus Fever Continued Fever Puerperal Fever	Totals

(IV.) CAUSES OF, AND AGES AT, DEATH during year 1906.

	occurring in or beyond the District ing to Localities, whether occurring in or beyond the District								whether of "Residents" itutions in trict				
Causes of Death	All Ages	Under 1 year	1 and under 5	5 and under 15	15 and under 25	25 and under 65	65 and upwards	Fleetwood Sub-District	Blackpool Sub-District	Kirkham Sub-District	Lytham Sub-District		Total Deaths whether Residents or non "Reside in Public Institutions the District
1	2	3	4	5	6	7	8	9	10	11	12	13	14
Small-pox													
Measles													
Scarlet Fever													. 5
Whooping Cough	2	2								2			[
Diphtheria and Membranous	-			,			4						
Croup	1	• •		1		••				••	1	• •	3
Croup		• • •	••			• •						• •	[
Fever { Typhus	i					i		1 ::		ï	••	• •	3
Other Continued				::								• •	"
Epidemic Influenza						1	i	1		2			i :: i
Cholera										13			
Plague													
Diarrhœa		7					1		2	6			
Enteritis													4.4
Puerperal Fever													
Erysipelas				• •									
Other Septic Diseases			• •		••	• •			•••			• •	
Phthisis, Pulm. Tuberculosis Other Tubercular Diseases	4	2			• •	ï		1	2	2	• •	• •	
Cancer, Malignant Disease	5			1	••	2	3		2	3	•••	••	
Bronchitis	10	2		i	•••	3	4	i		9		• •	
Pneumonia	11	3			::	5	î	î	3	7			
Pleurisy													l :: 1
Other Diseases of Respira-									11				
tory Organs	3		I			1	1		1	2			
Liver													
Venereal Diseases													
Premature Birth	3	3						1		2			
Diseases and Accidents of													
Parturition	2					2		٠.	1	2			
Heart Diseases	10		1			5	4	2	1	7			
Accidents	4					2	2	2	1	1		• •	
Suicides	• • •	••			• • •	•••						• •	
Old Age Diseases of Nervous System	• • •		1		• • •	• •	• •		• •			• •	
Debility			100		• • •	• •			• •			••	
Diseases of Kidneys						••	••	1 ::				• • •	- :: I
All other causes	67	10	2	i	i	20	33	2	16	48	i	•••	
All causes	133	29	6	4	1	43	50	9	28	94	2		11

(V.) INFANTILE MORTALITY

Deaths from stated Causes in Weeks

Common Infectious Diseases— Small-pox Chicken-pox Measles Scarlet Fever Diphtheria: Croup Whooping Cough Diarrhæa, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenteria Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 2 2 3 4 4 1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CAUSE OF DEATH	Under 1 Week	1-2 Weeks	2-3 Weeks	3-4 Weeks	Total under 1 Month
Small-pox Chicken-pox Measles Scarlet Fever Diphtheria: Croup Whooping Cough Diarrhea Diseases— Diarrhea, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 Suffocation, overlaying Other Causes 2 2 2	Canaray Ivingorana Dranjana					
Chicken-pox Measles Scarlet Fever Diphtheria: Croup Whooping Cough Diarrheaa Diseases— Diarrhea, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 Suffocation, overlaying Other Causes 2 2 2 2 2 3 2 4 2 5 2 6 2 7 2 7 2 7 2 7 2 7 3 7 4 7 5 7 5 7 6 7 6 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7						
Measles Scarlet Fever Diphtheria: Croup Whooping Cough DIARRHEAL DISEASES— Diarrhœa, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh WASTING DISEASES— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus 3 1 4 TUBERCULOUS DISEASES— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 2 2 2 3 3 1 4 4 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3 1 1 1 5 3			••	• •	•••	••
Scarlet Fever Diphtheria: Croup Whooping Cough Diarrheea, Diseases— Diarrheea, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Diseases— Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 3 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			• •	• •		••
Diphtheria: Croup Whooping Cough Diarrhœa, Diseases— Diarrhœa, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 3 4 4 7 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7 8 7			• •		•••	•••
Whooping Cough DIARRHEAL DISEASES— Diarrhœa, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh WASTING DISEASES— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 1 1 4 2 2 2 2 2 1 1 4 1 1 1 5 1 5 1 1 2 1 2 2 2 2 2 2 2 1 2 1 3 1 4 1 4 1 5 2 1 5 2 5 2 5 3 6 3 7 3 7 4 7 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7			• •		• •	
Diarrhœa, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 2 2 2 2 2 3 1 4 4 1 4 1 4 1 1 1 1 1 1 1 1 1 1 1 1			•••			
Diarrhoea, all forms Enteritis, Muco-Enteritis, Gastro- Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 3 4 4 7 2 2 2 2 2 2 3 1 1 4 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				• •		
Enteritis, Muco-Enteritis, Gastro-Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth 2 2 2 Congenital Defects 2 2 Injury at Birth 3 1 4 Want of Breast-milk, Starvation Atrophy, Debility, Marasmus 3 1 4 Tuberculous Diseases— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 1 Suffocation, overlaying Other Causes 2 2		1	9			9
Enteritis Gastritis, Gastro-intestinal Catarrh Wasting Diseases— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Diseases— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 1 Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 2 3 3 4 4 4 4 4 4 4 4 4 4	Enteritie Muse Enteritie Gestro		4	• •	• •	-
Gastritis, Gastro-intestinal Catarrh WASTING DISEASES— Premature Birth Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus 3 1 4 TUBERCULOUS DISEASES— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 Suffocation, overlaying Other Causes 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Entoritie					
Wasting Diseases			• • •	• •	• •	
Premature Birth 2 2 2 2 2 Congenital Defects 2 2 2 2 Injury at Birth 3 3 1 4 Want of Breast-milk, Starvation 4 Atrophy, Debility, Marasmus 3 1 4 Tuberculous Diseases— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica 5 Other Tuberculous Diseases 5 Erysipelas 5 Syphilis 6 Rickets 7 Meningitis (not Tuberculous) 7 Convulsions 7 Bronchitis 7 Laryngitis 7 Pneumonia 1 1 1 Suffocation, overlaying 7 Other Causes 2 2				• • •	• •	
Congenital Defects Injury at Birth Want of Breast-milk, Starvation Atrophy, Debility, Marasmus Atrophy, Debility, Marasmus Tuberculous Diseases— Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 1 Suffocation, overlaying Other Causes 2 2 2		2				2
Injury at Birth		1 4			• • •	
Want of Breast-milk, Starvation Atrophy, Debility, Marasmus			_			~
Atrophy, Debility, Marasmus		_		• • •	1	
Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes Tuberculous Mesenterica Convulsions Tuberculous				i	ł.	4
Tuberculous Meningitis Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 1 Suffocation, overlaying Other Causes 2 2				_		_
Tuberculous Peritonitis: Tabes Mesenterica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia Suffocation, overlaying Other Causes 2						
terica Other Tuberculous Diseases Erysipelas Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 1 1 Suffocation, overlaying Other Causes 2 2						
Convulsions Bronchitis Laryngitis Pneumonia Pneumonia Suffocation, overlaying Other Causes Erysipelas Convulsions Brochitis Laryngitis Pneumonia Suffocation, overlaying Other Causes Erysipelas Convulsions Con					١	
Erysipelas Syphilis						
Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 Suffocation, overlaying Other Causes 2	0 1101 2 40010 410 410 110 110 110 110 110 110 1	1				
Syphilis Rickets Meningitis (not Tuberculous) Convulsions Bronchitis Laryngitis Pneumonia 1 Suffocation, overlaying Other Causes 2	Erysipelas					
Rickets						
Meningitis (not Tuberculous)	70.1					
Convulsions						
Bronchitis						
Pneumonia 1 1 Suffocation, overlaying	1					
Pneumonia 1 1 Suffocation, overlaying						
Suffocation, overlaying	Pneumonia					1
Other Causes	Suffocation, overlaying	1				
7 5 1 13						2
7 5 1 13		-		-		
0 1 10		7	5	1		13

District of Fylde Rural. Population
Births in the year, 246.

during the year 1906.

and Months under One Year of Age.

1-2 Months	2-3 Months	3-4 Months	4-5 Months	5-6 Months	6-7 Months	7-8 Months	8-9 Months	9-10 Months	10-11 Months	11-12 Months	Total Deaths under 1 Year
i			··· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ·· ··		 1	:: :: ::		··· ·· · · · · · · · · · · · · · · · ·			
1											3 2 5
				1							1
		··· ··· ·· ·· ··				i ::				i	 1 2 3
-	3 2		3	1	2	1	1	1	-	1	29

(estimated to middle of 1906) 11,045.

Deaths from all Causes at all Ages, 133.

FYLDE RURAL DISTRICT COUNCIL.

To the Chairman and Members of the Fylde Rural District Council.

GENTLEMEN,

I have again the honour of presenting to you the Annual Report and Summary of work done within your district for the year ending 31st December, 1906, this being my Seventeenth Annual Report.

PUBLIC HEALTH ACT.

Total number of Preliminary Notices	60
Second Notices served by Order of Council	10
Special Reports	10
Dwelling-houses condemned as unfit for habitation	1
New drains put in for waste and refuse water	55
Existing drains opened, cleansed and rectified	8
Back yards cleared of filthy matter	3
Offensive ashpits rectified	6
Defective water-closets repaired	2
Privies and ashpits cleaned under Notice	10
Sink, bath and lavatory pipes repaired and disconnected from drains, and made to discharge over	
gully traps	4
Nuisances arising from stagnant sewage abated	2
Accumulations of manure removed	1
Offensive ditches cleaned out	1
Sewage and urine tanks cleaned out	4
Farm yards and premises drained	1
Dead animals and garbage removed and buried	2

Nuisances caused by	sewage flowing on side of high-
	2
	n pig keeping abated 2
Old drains tested wit	h smoke test 12
New drains tested wi	th smoke test

The defects remedied are distributed over the district as follows:—

Bryning and Warton	2
Clifton-with-Salwick	2
Freckleton	1
Greenhalgh-with-Thistleton	1
Newton-with-Scales	1
Medlar-with-Wesham	27
Treales, Roseacre and Wharles	0
Westby-with-Plumptons	4
Elswick and Little Eccleston-with-Larbreck	1
Carleton	47
Singleton	0
Hardhorn	2
Marton	12

SLAUGHTER-HOUSES.

During the year complaints have been made as to the disposal of garbage and as to the tanks into which the drainage flows at two slaughter-houses situate at Marton.

BAKE-HOUSES.

These have, as usual, been well kept, giving no cause for complaint.

NEW SEWERS.

During the year the old sewers in Whitworth Street and West View, Wesham, have been pulled out, and replaced with proper sanitary pipes. A new sewer has also been laid at Wrea Green, which will abate the nuisance near to the Railway Station.

INFECTIOUS DISEASES.

Number	of infec	tious cases	inquired into	26
Dwelling	-houses	fumigated	after Scarlet Fever	9
,	,	"	Typhoid	8
;	,	,,	Diphtheria	6
Schools f	fumicate	d after inf	ections disease	2

LEGAL PROCEEDINGS.

It has not been found necessary to institute legal proceedings against anyone during the year.

PUBLIC HEALTH (WATER ACT).

OLD HOUSES.—Owing to the Fylde Water Board having extended their mains during the past few years it has not been necessary to submit many samples of well water for examination.

NEW HOUSES.

During the year the following new houses have been erected and certified for habitation, situate as follows:—Marton 15, Carleton 9, Hardhorn 7, Wesham 2, Freckleton 5, Warton 2, Little Eccleston 1, Newton-with-Scales 1, Thistleton 1 (Total, 43) all of which are supplied by Fylde Water Board.

DAIRIES AND COW SHEDS.

These have as usual been well kept; notice having to be served in one case for the remedying of defective drainage.

BUILDING BYE-LAWS.

During the year 156 Inspections of New Buildings have been made and the following violations of the Bye-laws reported:—

Drains not laid in accordance with Bye-laws	4
Overflows put in to sewage tank	1
Drains laid contrary to plan approved	1
Building without plan	1
Rooms not a sufficient height	1

The whole were immediately remedied on the same being pointed out to the builder with the exception of the case where the rooms were not of the height required.

I have again to thank the owners of property who have made improvements without notices being served, which is a saving of your valuable time.

I am, Gentlemen,

Yours faithfully,

JAMES JOLLY,

Sanitary Inspector.



